

第 365 次獸醫組織病理會議

The Three Hundred and Sixty-Fifth (365th) Histopathology Seminar

Date: Oct 5, 2018

Time : 12 :00~16 :00

Place: NCHU

病理小講堂(12 :00~13 :00) : 肉眼病理學

Case 1. CSVP 2018-3001 (CD18055, ADDC NCYU, L.W. Chang, H.C. Kuo, C.L. Chen, Y.C. Su, M.H. Chang, D.Y. Lo)

Broiler, 17-days-old, were submitted to ADDC for disease diagnosis. The broilers have showed clinical signs of depression and sudden death. The cumulative mortality rate was 5.8% (2,500/43,000).

Case 2. CSVP 2018-3002 (BM18028-3, VBTW, N.K. Yu, W.C. Chang, B.L. Wang, D.Y. Lo)

Growing pigs, 10-week-old, showed clinical sign of dark diarrhea. The morbidity rate was 5% (10/200).

Case 3. CSVP 2018-3003 (1807116, EGAH, Y.C. Chien, K.C. Hu, Y.C. Chiang, C.C. Lin)

Canine, French bulldog, 7-year-old, was presented for CT evaluation of a cranial intra-thoracic mass with a history of coughing and weight loss. There was concurrent right atrial enlargement and pericardial effusion.

Case 4. CSVP 2018-3004 (2014-2297, NTU GIMCP, C.F. Kao, F.I. Wang)

Canine, golden retriever, 9-month-old, intact male. Lt. upper gingival mass was noted for two weeks followed by enlargement of multiple lymph nodes (initially left sided and then right sided) and progressive tetraparalysis.

Case 5. CSVP 2018-3005 (2017-1582, NTU GIMCP, Y.H. Hsieh, W.T. Li, H.W. Chang)

Feline, Russian Blue, 2-year-old, castrated male. The patient attended NTUVH on June 12th 2017 for one week left hindlimb lameness and anorexia. Crepitus and pain was noted when manipulating the left hip joint.

Case 6. CSVP 2018-3006(CO18-439, GIVP, NCHU, Y.X. Lin, Y.H. Su, J.P Kao, H.Y. Chiou, J.W. Liao)

Rabbit, 9-year-old, intact male. A 6×5×5 cm subcutaneous mass at left chest was observed and surgical excision was performed. In addition, an 8 mm in diameter wart-like lesion at forehead was noticed for six months and it was also removed.